

# **GPS** Protect Guide

Version: 2.1 22 November 2022

Global Processing Services 6th Floor, Victoria House, Bloomsbury Square, London, WC1B 4DA Support Email: ops24@globalprocessing.com Support Phone: +442037409682

For the latest technical documentation, see the <u>Developer Portal</u>.

(c) 2021. Global Processing Services Ltd. 6th Floor, Victoria House, Bloomsbury Square, London, WC1B 4DA Publication number: PTG-2.1-11/22/2022

# Copyright

(c)2021-2022. Global Processing Services All Rights Reserved.

The material contained in this guide is copyrighted and owned by Global Processing Services Ltd together with any other intellectual property in such material. Except for personal and non-commercial use, no part of this guide may be copied, republished, performed in public, broadcast, uploaded, transmitted, distributed, modified or dealt with in any manner at all, without the prior written permission of Global Processing Services Ltd., and, then, only in such a way that the source and intellectual property rights are acknowledged.

To the maximum extent permitted by law, Global Processing Services Ltd shall not be liable to any person or organisation, in any manner whatsoever from the use, construction or interpretation of, or the reliance upon, all or any of the information or materials contained in this guide.

The information in these materials is subject to change without notice and Global Processing Services Ltd. assumes no responsibility for any errors.

# **1 About this Document**

This guide explains how to use the GPS Protect portal to help protect your organisation and your cardholders from fraudulent activity. It describes the GPS Protect user interface and explains how to use the system to monitor transactions, raise cases for investigation, configure rules, collect statistics, and run reports.

### **Target Audience**

This guide is aimed at frequent users of GPS Protect.

### What's Changed?

To find out what's changed since the previous release (the minor upgrade to v5.1.8 in June 2021), see the Document History section.

# 1.1 Related Documents

Refer to the table below for other documents which should be used in conjunction with this guide.

Document	Description
Smart Client Guide	How to use Smart Client, which is an administration application that can be used to view and manage cards and transactions in your program.
Cardinal 3D Secure User	Specification and 3D secure configuration rules when using the Cardinal Portal to set up the rules and policies for your program.
GPS Protect Release Notes	Describes the new features and enhancements to existing features available in the latest GPS Protect release.

# 1.2 How to Use this Guide

If you are new to GPS Protect and want to understand how you can use it to guard against fraudulent activity, begin by reading the following topics: Introduction, Overview of Steps in Using GPS Protect, and Understanding the GPS Protect Display.

If you are an existing user of GPS Protect and want to understand what's changed in this release, see the GPS Protect Release Notes.

# 2 Introduction

This topic introduces GPS Protect, describes its key features, and explains how you can use it in your card payment programmes to help protect your institution and your cardholders from fraudulent transactions.

GPS Protect is a bespoke fraud protection programme designed to guard financial institutions and cardholders from fraudulent activity. The system works in near real-time and is based on transactional data checks and calculations to flag suspicious transactions or events.

Simple to setup and manage, GPS Protect puts you in control of the monitoring, blocking and flagging of live cards, 24 hours a day, 7 days a week. Combined with advice from our team of fraud experts, GPS helps you to configure and control rules designed to protect your card programme.

# 2.1 How does GPS Protect work?

The following diagram illustrates how GPS Protect works to prevent fraud:



Figure 1: How GPS Protect prevents fraud

Each step is explained in more detail below:

- 1. **Define rules**: GPS works with you to define a bespoke set of rules based on card transactions which can, for example, alert your organisation's fraud team or block cards, and also define configurations beyond that of default parameters.
- 2. **Deploy rules**: All authorisation data from the GPS Apex platform is checked against your organisation's predefined rules and logic to identify patterns of fraudulent card activity in near real time.
- 3. Alert triggered: Suspicious activity (as per your organisation's rules) results in an immediate alert with an action, such as block card.
- 4. Action alert: Fraud Analysts/Managers can act manually, or intervention can be automated to block the card.
- 5. Analyse patterns: GPS Protect helps to analyse fraud patterns over time (for example, the efficiency of rules such as false positives or confirmed fraud prevention) so your organisation can tailor rules as your programme and cardholder behaviour evolves.

4

# **3 Overview of Steps in Using GPS Protect**

This topic provides a high-level overview of the steps to help your organisation get up and running with GPS Protect, with pointers to where to find further information.

### Step 1 - Access GPS Protect

To access GPS Protect, you use a browser such as Google Chrome or Microsoft Edge. You also require a username and password from GPS to access the system. For more information, see Accessing GPS Protect.

### Step 2 - Familiarise yourself with the User Interface

Before you begin, learn how to use the GPS Protect toolbar, menu options and dashboard – see Understanding the GPS Protect Display.

GPS Protect provides powerful transaction monitoring functionality, with the ability to flag suspicious events for further investigation. For more information, see Transaction Monitoring.

What you can see and do in GPS Protect depends on your role and access rights. For more information about user roles and permissions, see User Access Management.

### Step 3 - Understand Case Management

GPS Protect allows you to create cases to track suspicious events and transactions requiring further investigation. For more information about using cases to investigate potential fraud, see Managing Cases for Investigation.

### Step 4 - Understand GPS Protect Rules

GPS Protect checks all data from the GPS Apex platform against a set of predefined rules and logic to identify patterns of fraudulent card activity. To view the rules through which transaction verification happens, see Using the Rule Manager.

# **4 Accessing GPS Protect**

This topic explains how to access the GPS Protect web-based portal.

# 4.1 Accessing GPS Protect

GPS will send you an email containing a link (URL) to GPS Protect, together with your user login credentials. Log into GPS Protect using a web browser. Google Chrome, Microsoft Edge or Safari are recommended.

	ß	
	Sign in	
Login name		
Password		
	SIGN IN	

Figure 2: GPS Protect Sign-In Screen

On the Sign in page, enter the username and password received from GPS and click Sign in.

Note: Both the username and password are case sensitive. On the first login, you will be asked to change your password.

Every GPS Protect user must have their own credentials; user credential sharing is not permitted. There is no limit on the number of users in your organisation who can access GPS Protect.

After successful login, the main GPS Protect screen appears (described in the following section).

# **5 Understanding the GPS Protect Display**

This topic describes the main GPS Protect screen and explains how to use the toolbar, menu options and dashboard.

**Note:** Different levels of user access can be configured on the GPS Protect portal, depending on role. For example, some users may only be able to view information about transactions while others can view transactions, edit rules and run reports. Therefore, if you cannot see a menu option, this may be because you do not have the appropriate permissions. For more information, see User Access Management.

2	GPS Protect	<	ń					1	L)		Institution GPS (GPS)		? 🖻	🌲 🖻	ve എ
PM	Petru Maxian (Petru)		Dashboard												
	CRM	~													
	Events	~	Open cases				^	×	High priority case	S				^	×
	Operator marked events	~	Assignee user name	Reporter user name	Deadline	Created	Description		Assignee user name	Reporter user name	Deadline	Created	Description		
	System marked events	~	Petru		30/10/2022 16:25:00	23/10/2022 16:25:36	Negative balance on token		Tijo06R	Tijo03	31/03/2022 10:17:00	14/03/2022 10:58:18	Test create RA	and assign cas	)e
×	Suspicious events	~							Petru1	Tijo.Andrews	22/03/2022	03/03/2022	Test		
0	Data Management	~	Last suspicious ev	vents			^		3) Last fraudulent e	vents				^	×
٥	Configuration	~	Transaction time	Token	<b>T</b>		Local data		Transition from	Token	Transmit		L a set dat	_	
Ð	Reports	~	Transaction time	loken	Txn amour	nt Txn currency	Local date		Transaction time	Token	Txn amount	Txn currency	Local dat	Ð	
۶	Rule manager	~	13/03/2022 18:19:09	5426460000001988	836 2750.00	BYR	13.03.2022 17:39:09		31/12/2018 00:00:00	301631516	30.00	LKR	03.08.202	0 06:51:54	
	File management	~	13/03/2022 18:19:09	542646000000827	081 500.00	BYR	13.03.2022 17:39:09								
	2		13/03/2022 18:19:09	5426460000004579	390 500.00	BYR	13.03.2022 17:29:09								

### Figure 3: The main GPS Protect screen

### The main interface is divided into three main sections:

Key	Command	Description
1	Toolbar	Use the toolbar to navigate quickly to key functions, access help, or sign out. See below for more information.
2	Menus	Use the menus to display user profile details, change the appearance of the screen and access key GPS Pro- tect functions and displays. See below for more information.
3	Dashboard	The dashboard displays various widgets (the elements that appear on screen) showing tables, statistical graphs, cases, events etc. You can tailor your dashboard by choosing the widgets you want to display. See below for more information.

# 5.1 About the Toolbar

The Toolbar contains several icons you can use to access key screens:

7

lcon	Command	Description
♠	Home	Click <b>Home</b> in the top-left of the toolbar to return to the dashboard home screen.
	Institution	Click on the institution name to select the default institution
0	Help	Click <b>Help</b> in the top-right of the screen to open the Help interface.
M	Assigned cases	Click <b>Assigned cases</b> to show all the cases currently under investigation.

lcon	Command	Description
¢	Notifications	Click Notifications to open the System marked Transactions screen to see the latest alerts.
ENG	Language	Click Language to choose from a list of available languages for the interface.
ባ	Sign Out	Click Sign Out to exit from GPS Protect.
Tip: Ho	Ver vour mouse over an	icon to view its name

Tip: Hover your mouse over an icon to view its name.

# 5.2 About the Menus

The main menu bar on the left-hand-side of the screen enables you to:

- Access your user profile details
- Change the appearance of the display
- · Access key GPS Protect functions and screens



8

### About the menu options

On the lower part of the menu bar, you can see all the menu options available to you.

Note: The menu options available to you depend on your role and permissions. If you cannot see a menu option, this may be because you do not have the appropriate permissions. For more information, see User Access Management. If you believe you are missing a menu option or do not have the correct level of access, contact the person responsible for GPS Protect access within your organisation.

See later in this guide for a detailed description of each of the menu options.

### Viewing your User Profile

Your user name and initials are shown in the top of the Menu bar.

To view your user profile details, click on your username. The Profile screen appears:

1				Institution GPS (GPS)	. Ø 🖬 4	ENG (
ofile						1
MY PROFILE TH	HEME					
er ID		User name		Full name		
13		Petru		Petru Maxian		
scription				E-mail		
st				Petru.Maxian@globalproces	sing.com	
it login 5.10.2022 08:17:17		Last password change		CHANGE	PASSWORD	
er Audit Log						
						: (
Record ID	Message	Subsystem	Timestamp	User full name	User mail	
Ŧ	Ŧ		<u></u>	<b>i</b> <del>.</del>	<u>=</u>	

Figure 4: The GPS Protect User Profile screen

This screen has two tabs: **MY PROFILE** (used to view your user details) and **THEME** (used to change the appearance of the screen). These tabs are described below.

MY PROFILE – use this tab to display details related to your profile, such as:

- User ID
- Username
- Full name
- Description (Institution name)
- E-mail (registered email address for the user account)
- · Last login (shows the date and time when you last logged into the system)
- Last password change (shows the date and time when you last changed your password)

Also, on the **User Audit Log**, you can see all the logs for any user-related actions such as login times, actions performed while using the system, logout times etc.

### Changing or resetting a password

To change your password, click **Change password**. When prompted, enter your current password, your new password twice, and then click **Save password**.

Tip: If you are not currently logged into your GPS Protect account and need to reset your password, use the GPS <u>customer support portal</u> to raise a customer support request, or via email by sending a password reset request to **FraudTeam@globalprocessing.com**.

9

### Changing the display

Use the THEME tab to change the appearance of the screen, as shown below:

<b>A</b>		Institution GPS (GPS)	? 🗹 🌲 ENG ()
Profile			斑
MY PROFILE THEME			
Theme Grey-Light Blue	Mode ▼ Compact	<b>~</b>	

Figure 5: The Theme tab for changing the appearance of the display

### Changing the colour scheme

To change the colour scheme of the display, click on the down arrow vertex to **Theme** and choose your preferred option from the dropdown menu:

Classic		
Black-Red		
Black-White		
Blue-White		
Deep-Purple		
Grey-Light Blue		
Grey-Light blue		
Grey-Light Blue		
Grey-Teal		
Grey-Teal White-Black		
Grey-Teal White-Black White-Indigo		

### Changing the size and scale

To change the font size/scale/zoom level of the display, click on the down arrow vert to **Mode** and choose the preferred option from the dropdown menu:

Standard	
Compact	

# 5.3 About the Dashboard

The **Dashboard** consists of UI components known as 'widgets' which you can choose to display or hide, depending on your requirements. For example, you may want to show the **Open cases** widget to see all open unresolved cases.

									GPS (GPS)		_ ? ⊻ ♠	EN	G
nboard													
pen cases					^	×	High priority cas	es				^	
Assignee user name	Reporter user name	Deadline		Created	Description		Assignee user name	Reporter user name	Deadline	Created	Description		
Petru	Petru	30/10/202 16:25:00		23/10/2022 16:25:36	Negative balance on token		Tijo06R	Tijo03	31/03/2022 10:17:00	14/03/2022 10:58:18	Test create and as RA	sign cas	e
							Petru1	Tijo.Andrews	22/03/2022	03/03/2022	Test		
ast suspicious ev	vents				^	×	Last fraudulent e	events				^	;
Transaction time	Token		Txn amount	Txn currency	Local date		Transaction time	Token	Txn amount	Txn currency	Local date		
13/03/2022 18:19:09	5426460000001	988836	2750.00	BYR	13.03.2022 17:39:09		31/12/2018 00:00:00	301631516	30.00	LKR	03.08.2020 06:5	51:54	
13/03/2022 18:19:09	542646000000	827081	500.00	BYR	13.03.2022 17:39:09								
13/03/2022 18:19:09	5426460000004	579390	500.00	BYR	13.03.2022 17:29:09								

### Figure 6: A typical dashboard display

- **Open cases** shows high-priority investigation cases assigned to a user.
- High priority cases shows all open unresolved cases.
- Last suspicious events shows a list of the last events marked as suspicious.
- Last fraudulent events shows a list of the last events marked as fraudulent.

## Managing widgets

You can manage widgets using Add grid in the lower left corner of the Dashboard page. When clicked, the following context-sensitive buttons appear:



The following explains the context-sensitive buttons, clockwise:

lcon	Command	Description					
	Edit grid	Move and resize widgets. Click <b>Edit grid</b> to turn it red, indicating widget navigation is on. You can now move widgets to the desired lo ation on the Dashboard and resize them. When done, click the <b>Edit grid</b> icon to turn it grey, indicating widget navigation is off and widget cannot be relocated or resized.					
T	Expand or collapse all	Expand or collapse widget. Click the icon to turn it red. In this state, you can collapse all the visible widgets on the Dashboard. Click it again to turn it grey, allowing you to expand all the visible widgets.					
+	Show or hide a grid item	Display or hide widgets on the Dashboard. Click the icon to show all the widget options that can be displayed. Select the ones you want to display; uncheck the ones you want to hide. For example: <ul> <li>High priority cases</li> <li>Open cases</li> <li>Last suspicious events</li> <li>Last fraudulent events</li> </ul>					
C	Reset	Restore all the widgets to their original/default position and size on the Dashboard.					

# **6 Transaction Monitoring**

This section introduces the transaction monitoring screens and explains how to use common functions to customise your display, export information, create custom filters, and display the filters applied to the screen.

# 6.1 Using the Transaction Functions

All transaction monitoring screens have common functions at the top of the display and page navigation functions at the bottom of the display.

### **Common Functions**

The following common functions are in the top right of the display:

	ibute		Opera			Value			×	+	Ē	
Ev	ent timestamp	*	Afte	er	*	24.10.20	022 08:37					
-	F											PPL
	Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Ccy Code	
ן	Event timestamp	Institution Code GPS 🛛 👻	Token =	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Ccy Code	
)						-				-		
	Ŧ	GPS 👻	<u>+</u>	<del></del>		-		Ŧ	<del></del>	<del>.</del>	7	

#### Figure 7: Common functions across the transaction screens. See the following table:

lcon	Command	Description
:	Column customization	Choose which columns/attributes are displayed on-screen. You can tick or untick the necessary columns/attributes and reorder their appearance by dragging and dropping the columns/attributes into the order you prefer.
⊎	Export	Enable the export of all displayed on-screen transactions to either a CSV or an XLSX file.
Ê	Custom filter	Save and load frequently used search/data filtering options. Once a certain combination of frequently used filters is present on-screen, you can save this using a meaningful name. After, you can click the same icon to load the saved combination of frequently used filters.
	Filter builder	Display the filters applied to the screen. Using this icon, you can add or remove filters. The default fil- ter for the <i>Event timestamp</i> attribute is mandatory and cannot be removed.

### **Page Navigation Functions**

#### 0 0

All transaction monitoring screens allow you to set the number of rows per page displayed on-screen:



*Figure 8: Page navigation functions across the transaction screens. See the following table:* 

You can navigate through the pages either by clicking on the displayed page numbers, or using the page navigation buttons:

lcon	Command	Description
>	Next page	Use to load the next page.
<	Previous page	Use to load the previous page.
>	Last page	Use to load the last (final) page.
I<	First page	Use to load the first page.

### Sorting data

You can sort information in the columns (for example, under **Token**) by hovering on a column header and using the up and down arrows to sort in ascending or descending order.

# 6.2 About the Context-sensitive Menu

When one or more transactions are selected (by selecting the inline tick box  $\blacksquare$ ), a context-sensitive menu with icons appears in the top-right corner of the page. The same options appear in a sub-menu when you right-click on a transaction:

									•	9 🖺 🕁	<mark>e  </mark>
Event timestar	np	Institution Code Token		Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amour
13.03.2022 1	Ħ	Mark as Fraud	4579390	291293014	1100	0	20010165	000	500.00	BYR	500.00
13.03.2022 1		Mark as Genuine	2500858	291293030	1100	0	20010165	000	100.00	BYR	100.00
13.03.2022 1		Mark as Ignore Mark as Investigation	2352684	291293018	1100	0	20010165	000	2750.00	BYR	2750.00
13.03.2022 1		Open investigation case	2810052	291293026	1100	0	20010165	000	1500.00	BYR	1500.00
13.03.2022 1		Attach events to investigation case Export selected rows	4563042	291293040	1100	0	20010165	000	100.00	BYR	100.00
	Ĩ	Set filter for Token Set filter Event timestamp = 13.03.2022 19:19:09						Rows per page 5 🔻	6-10 of 55+	< < 1	2 3 4
	F	Copy attributes to clipboard Create new dataset value = 13.03.2022 19:19:09									

### Figure 9: Context-sensitive menu functions in the transaction screens. See the following table:

#### These functions are explained below:

lcon	Command	Description
	Mark as Fraud	Assign a <i>Fraud</i> status to a transaction.
	Mark as Genuine	Assign a <i>Genuine</i> status to a transaction.
	Mark as Ignore	Assign an <i>Ignore</i> status to a transaction.
	Mark as Investigation	Assign an <i>Investigation</i> status to a transaction.
	Open investigation case	Open a case for the selected event.

lcon	Command	Description
e	Attach events to investigation case	Attach the selected event to an existing case.
Ŧ	Export selected rows	Export the selected event(s) to a CSV/XLSX format report.
θ	Set filter for Token	Set a filter for the selected/related Token number.
Ê	Set filter Event timestamp	Set a filter for the selected/related timestamp.
	Copy attributes to the clipboard	Copy the selected transaction's attributes/values pairs to the clipboard.
+	Create new dataset value	Add the selected value to an existing dataset.

# 6.3 Filtering the Data

To retrieve transactional data for your institution, click on **Filter builder**, select the date from the default filter and click **Apply** to retrieve the filtered data.

In the following examples, transactions are filtered using:

- Event timestamp after 01.07.2021
- Merchants for which the Acceptor Country is Ukraine 'UA'
- Acquirer country is Ukraine 'UA'
- Billing amount (in the base currency of the card) is 300

				0 4115							:	± 🗎 📕
Attribute			Operator	O AND cond	altions, OR group		onditions, AND groups		Ī		+ 🗟	
Event timestamp		<b>*</b>	After		•	_	01.07.2021 15:30		6		- υ	
						AND						
Attribute			Operator				alue		Ī		+ 🖬	
Acceptor Country		<u> </u>	Equal		•		UA					
						AND						
Attribute			Operator				alue		Ī		+ 🗊	
Acquirer Country		<b>•</b>	Equal		•	_	UA					
						AND						
Attribute			Operator				alue		Ī		+ 🖻	
Billing Amount		<b>•</b>	Equal		· ·	-	300					
+												
Acceptor Country	Acquirer Country	Acquiring Institution ID	Billing Amount	TXN Description	Mark rules		Operator status	Operator name	Comments	Customer Ref	Card Status	RRN
₹	=	=	=	Ŧ	₹		· ·	=	=	Ŧ	=	=
IA	UA	417753	300.00		"CRV-PR-E0	3 Blocked accou	ınt" None					53975439

Figure 10: Filtering data in the transaction screens

Further 'on-the-fly' data filtering is possible for some columns/attributes, by inputting a filtering value to the right of the **Filter list** icon (for columns/attributes that display a continuous straight line under the column/attribute header. Note that 'on-the-fly' filtering for columns/attributes that display a dotted line is not available):

										: 4	
				AND conditions, OR group	ps O OR condition	s, AND groups					
Attribute Event timestamp		•	Operator After	Ŧ	Value 01.07.20	021 15:30	i	Ō		+ 🖻	
+											APPLY
	Acquirer Country	Acquiring Institution ID	TXN Description	Mark rules	Operator status	Operator name	Comments	Customer Ref	Card Status	RRN	Actual balar
A	UA	417753		"CRV-PR-E03 Blocked account"	None					557885647912	100
A	UA	417753		"CRV-PR-E03 Blocked account"	None					572422366240	100
A	UA	417753		"CRV-PR-E03 Blocked account"	None					605294885442	100
A	UA	417753		"CRV-PR-E03 Blocked account"	None					584836923779	100
A	UA	417753		"CRV-PR-E03 Blocked account"	None					612722029456	100
								Rows per page 5			

Figure 11: On-the-fly filtering in the transaction screens

# 6.4 Checking Transaction Details

To check the information available on the system for a particular transaction, click on the transaction to display the details.

The **ATTRIBUTES** tab shows all the transaction-related details that were sent to GPS by the Merchant/Acquirer via the Schemes such as Transaction Amount or Acceptor Country, as well as some GPS proprietary details like the GPS Product ID of the card on which the transaction was performed.

ATTRIBUTES SYSTEM A	TTRIBUTES		
Acceptor Country	Acquirer Country	Actual balance	Acquiring Institution ID
GB	GB	360	00000014225
Available balance			Billing Amount (Base Currency)
0	Bank Destination Account Number	Bank Source Account Number	240
Txn Amount (Base Currency)	BIN		Card creation date
240	53757501	Branch Code	
Card Status	Card Type	Card Product	Usage Group
00	2	MCRD	BKR-CU-001
Customer Ref			Birth Date
054333375	Address line 1	Address line 2	
Activation Date (Date Accepted)			
20191030	Gender	Home City	Home Telephone

### Figure 12: Transaction details

The **SYSTEM ATTRIBUTES** tab shows GPS Protect proprietary details such as the Action (if any) that was performed by the system on this particular transaction, the Institution ID, the Processing Time the system needed to process the transaction, etc.

ES		
Action chain	Action chain ID	Action rule
IMPLICIT	0	IMPLICIT
Class name		
TRANSACTION	Comments	Event city
Event hold time	Event last updated	Event latitude
-1	0	-1.000000
Event operation action time	Event risk score	Event sync
0	0	0
Highlight	Highlight color	ID
1	0xFFFF40	108192425580019688
Is online		
Y	Mark rules	Operator name
Org account id	Customer age	Customer
0	0	0
Original Txn Id	Processing time	
0	24	Reject reason
Reversal processed		
0	Reversal Txn Id	Rule guid
	Action chain IMPLICIT Class name TRANSACTION Event hold time -1 Event operation action time 0 Highlight 1 Is online Y Org account id 0 Original Txn Id 0 Reversal processed	Action chain     Action chain ID       IMPLICIT     0       Class name     Comments       TRANSACTION     Comments       Event hold time     Event last updated       -1     0       Event operation action time     Event risk score       0     0       Highlight     Highlight color       1     0xFFFF40       Is online     Y       Y     Mark rules       Org account id     Customer age       0     0       Original Txn Id     Processing time       0     24

Figure 13: System Attributes details

# 6.5 Understanding the Monitoring Screens

This topic describes the information shown in the Monitoring Transactions screens and explains how to drill down deeper into the transaction details.

Tip: You can sort information in the columns (for example, under **Token**) by hovering on a column header and using the up and down arrows to sort in ascending or descending order.

### Viewing all events/transactions

The **Events** > **Transactions** screen displays in near real-time all the transactions performed on your institution's tokens (this includes all events/transactions, not just the ones marked automatically by the rules, or manually by users).

PM Petru Maxian (Pe	ru)	Transactions						
ដ្រូវ CRM	~							: 4 🗎 🚍
🖬 Events	^			() AN	D conditions, OR groups	OR conditions, AND groups		
💮 Transactions		Attribute		Operator		Value	Ē	+ 🖻
Operator marke		Event timestamp	*	After	*	01.07.2021 15:30	-	-
Operator marke events	<sup>1</sup> ~	Event timestamp	<b>~</b>	After	·	01.07.2021 15:30		

×	Suspicious events	~	Event timestamp		Institution Cod	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Ccy Code	MCC
0	Data Management	~	=	Ē	GPS	 -	Ŧ	-	=		-	-	=	=	Ŧ
\$	Configuration	~													
	Reports	~	24.04.2022 23:53:48		GPS	301631516	3765666667				000	30.00	LKR	EUR	
B	Rule manager	~	29.07.2021 12:27:17		GPS	340885150		0100		072	2	200.00	EUR	RUB	6011
	File management	× I	29.07.2021 12:27:01		GPS	240885150		0100		072	2	200.00	EUR	RUB	6011

Figure 14: Transactions screen

### Viewing system marked events/transactions

The **System marked events** > **System marked Transactions** screen displays all the transactions marked automatically by the system. For example, if an active rule is triggered that has **Action**: *Highlight* enabled, the highlighted event/transaction appears on this screen because the system has marked the transaction automatically.

OS Petru Maxian (Petru)	Syst	em marked Tra	nsactions					
龄 CRM へ								
Investigation cases		Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code
🖬 Events 🛛 🔨		<del></del>	Ŧ	Ŧ	<u></u>	Ŧ	Ŧ	<u><u></u></u>
🔁 Transactions		02/02/2020 06:06:39	BKR	199885676	4989071072	0100	00	071
		02/02/2020 02:22:39	BKR	200201121	4988254895	0100	01	051
Operator marked events		02/02/2020 01:54:24	BKR	779495940	4987954477	0100	00	812
🚄 System marked		02/02/2020 00:51:37	BKR	872074565	4987444554	0100	00	051
events		02/02/2020 00:51:21	BKR	511763688	4987444044	0100	01	051
System marked		01/02/2020 23:26:05	BKR	779496855	4987243148	0100	00	072
Transactions		01/02/2020 21:22:56	BKR	779496855	4986860876	0100	00	102

Figure 15: System marked events/System marked Transactions screen

### Viewing suspicious events/transactions

The **Suspicious events** > **Suspicious Transactions** screen displays all the transactions that triggered an existing active rule that has *Action: Marked as suspicious* enabled.

۲	GPS Protect	۲,	ń								Institution GPS (GPS	\$)	<b>?</b>	<b>≥</b> ♦	ENG ()
PM	Petru Maxian (Petru)	)	Suspic	cious Transactions											
	CRM	~												: 4	<b>ì</b> ≡
Ö	Events	~					0.000		0.00						
	Operator marked events	~		tribute		Opera	itor		Ups OR condition			Ī	+	Î	
	System marked events	~		vent timestamp	<b>•</b>	And		•		022 01:49					
⊠	Suspicious events	^		+										8	APPLY
	Suspicious Transactions			Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amount	Billing Co
0	Data Management	~		<del></del>	GPS	<b>▼</b>	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	=	=	=	=
۵	Configuration	~		26.10.2022 01:47:20	GPS	353728721	1111111256	0100	01	051	00	1150.00	EUR	5070.00	EUR
	Reports	~		26.10.2022 01:47:09	GPS	353728721	1111111255	0100	01	051	00	1100.00	EUR	5050.00	EUR
	Rule manager File management	× 、		26.10.2022 01:47:01	GPS	353728721	1111111254	0100	01	051	00	110.00	EUR	505.00	EUR
				26.10.2022 01:46:28	GPS	353728721	1111111253	0100	01	051	00	105.00	EUR	500.00	EUR
				26.10.2022 01:46:00	GPS	353728721	1111111252	0100	01	051	00	0.00	EUR	0.00	EUR
											R	ows per page 10 👻	1-5 of 5	< < 1 ;	> >1

Figure 16: Suspicious events/Suspicious Transactions screen

Because this screen displays all the alerts automatically triggered by the system, GPS Protect users responsible for investigating these alerts will likely spend most of their time using this screen.

Once the investigation of a particular alert is complete, you can mark the alert with a predefined status, as described below.

### Viewing operator-marked events/transactions

The **Operator marked events/Transactions** screen displays all the transactions that are manually marked and commented on by a user.

### Assigning a status to an alert

You can mark a transaction with one of the following statuses:

- Genuine
- Investigation
- Fraud
- Ignore

GPS Protect	<	ń										Institution GPS (GPS	5)	<b>,</b> ?	🔛 🌲 E	NG ()
PM Petru Maxian (Petru)		Suspic	cious Transaction	IS												
袋 CRM	~													0	1 🗐 e	
💼 Events	~															
Operator marked events	~	_	Event timestamp		Institution	Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amount	Billing
System marked events	~		Ŧ		GPS		<u> </u>	Ŧ	Ŧ	Ŧ	Ŧ	<u>₹</u>	=	=	=	₹
Suspicious events	^		26.10.2022 01:47:20		GPS		Mark as Fraud	*******	0100	01	051	00	1150.00	EUR	5070.00	EUR
g Suspicious			26.10.2022 01:47:09		GPS	R	Mark as Genuine		0100	01	051	00	1100.00	EUR	5050.00	EUR
C Data Management	~		26.10.2022 01:47:01		GPS		Mark as Ignore Mark as Investiga	tion	0100	01	051	00	110.00	EUR	505.00	EUR
			26.10.2022 01:46:28		GPS		Open investigation	n case	0100	01	051	00	105.00	EUR	500.00	EUR
Configuration	* *		26.10.2022 01:46:00		GPS	e	Attach events to in Export selected ro	nvestigation case	0100	01	051	00	0.00	EUR	0.00	EUR
E Rule manager	~					θ	Set filter for Toker	1				R	ows per page 10 👻	1-5 of 5	< 1 →	>
File management	~					•		clipboard et value = GPS								

To mark a transaction, right-click on the transaction and assign the appropriate status:

### Figure 17: Assigning a status to an alert

By default, new and unmarked transactions are displayed by the system in **Green**. When a transaction is marked, or its default status is changed, the colour of the event/transaction changes, depending on the newly assigned status.

### Transaction colour coding

Status	Colour
Default, new and unmarked by users	Green
Genuine	Black
Investigation	Orange
Fraud	Red
Ignore	Grey

When the status changes, the event/transaction is moved from the **Suspicious events** > **Suspicious Transactions** screen, to the appropriate sub-page of the same name as the newly assigned status (under Operator marked events).

OS	Petru Maxian (Petru)		Tran	sactions							
錼	CRM	~									
	Events	~		Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts
ē	Operator marked events	^		<del></del>	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ
				31/01/2020 01:00:00	BKR	263459300	2150330034	0000	22		000
E	Genuine			31/01/2020 01:00:00	BKR	731687118	2150330035	0000	22		000
E	Investigation			31/01/2020 01:00:00	BKR	851109839	2150330031	0000	23		000
E	Fraud			31/01/2020 01:00:00	BKR	731687118	2150330037	0000	23		000
E	] Ignore										

#### 

### Figure 18: Transactions assigned a status

When you assign a new status to an event/transaction, the alert counter displayed in the top-right corner of the screen also decreases, respectively. This is useful in showing how many alerts remain to be worked.

GPS Protect	<	<b>A</b>											0 🖬 🚺	eng	Ģ
OS Petru Maxian (Petru	ı)	Transactions													
袋 CRM	~												:	±	≡
🛅 Events	~	Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amount	Billing Ccy Code	MCC	
Operator marked events	^	□ <u></u>	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	₹	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	
		31/01/2020 01:0	0:00 BKR	263459300	2150330034	0000	22		000	100.00	GBP	100.00	GBP		
🚍 Genuine		31/01/2020 01:0	0:00 BKR	731687118	2150330035	0000	22		000	100.00	GBP	100.00	GBP		
Investigation		31/01/2020 01:0	0:00 BKR	851109839	2150330031	0000	23		000	20.00	GBP	20.00	GBP		
📑 Fraud		31/01/2020 01:0	0:00 BKR	731687118	2150330037	0000	23		000	100.00	GBP	100.00	GBP		
📄 Ignore										Rows per page	10 - 9651-96	54 of 9654  ≺	<b>&lt; 964 965</b> 96	6 > >	

Figure 19: Alert counter

# 7 Managing Cases for Investigation

This section explains how to open cases that require further investigation, assign these to a user, and set a deadline for completion. GPS Protect allows the creation and investigation of suspicious events/transaction cases. The case functionality is useful for keeping track of and managing fraud by enabling you to review previous cases and the information attached to these.

A case can have one of five possible statuses:

- New
- Assigned
- Postponed
- Closed
- Deleted

You can open a case if:

- You are unsure if a transaction/set of transactions is fraudulent (and the investigation might require additional actions such as contacting the cardholder)
- Assistance is required from colleagues
- You need to escalate
- Further action is required on an account (for example, closing the account or raising chargebacks)

Note: Depending on access rights, some functions are available only to users with the correct permissions (for example, the ability to view all open cases and manage cases). See User Access Management for further information.

## 7.1 Opening a Case

A case can be opened from within any of the event/transaction screens.

To open a case:

1. Select the appropriate events or transactions you want to include and click on Den investigation case in the right-click menu or the context-sensitive button in the top-right corner of the screen. The Main details screen appears.

PM	Petru Maxian (Petru)		Transa	actions														
¢3	CRM	~															t 📮 C	R
	Events	^																
(	Transactions			Event timest	tamp		Institution C	Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Ccy Code	MCC
ē	Operator marked events	~		Ŧ			GPS	*	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	=	=	-	<u> </u>
	System marked events	~		24.04.2022	23:53:48		GPS		301631516	3765666667				000	30.00	LKR	EUR	
	Suspicious events	~		29.07.2021		k as Fraud	GPS		340885150		0100		072	2	200.00	EUR	RUB	6011
0	Data Management	~		29.07.2021	1	k as Genu			240885150		0100		072	2	200.00	EUR	RUB	6011
\$	Configuration	~		29.07.2021		k as Ignore			240885150		0100		072	2	200.00	EUR	RUB	6011
Đ	Reports	~		29.07.2021	1	k as Inves	tigation		240885150		0100		072	2	200.00	EUR	RUB	6011
ē	Rule manager	~					to investigati	ion case						Paus pa			< 1 2 →	
	File management	~			🛃 Exp	ort selecte	d rows							Rows pe	page 5 ₹	1-5 010 1	. 2 >	21



Figure 20: Opening a case for investigation

2. Complete mandatory fields such as Institution ID, Assignee and Deadline.

✓ Main details	new	8
MAIN DETAILS		
Institution ID * GPS (GPS)	Status Vew	~
Reporter * Petru	Assignee * 	•
Created 26.10.2022 01:58:25	Deadline *	
Description		

### The following table describes the required fields:

Field name	Description	Field type
Institution ID	The institution the case is opened for	Mandatory
Status	" during the case opening process	Prepopulated
Reporter	The user opening the case	Prepopulated
Assignee	The user the case is assigned to	Mandatory
Created	Prepopulated with the system time when the case is opened	Prepopulated
Deadline	Date when investigation of the case must be completed	Mandatory
Description	Additional comments. <b>Tip!</b> GPS recommends you provide a description of why the case was created	Optional

Once a case deadline is reached, GPS Protect sends an email notification to the Assignee of the case to remind them that a case remains unresolved.

After completing the opening of the case, all transactions included within the case will have their status set to **Investigation** automatically. If the case status is changed to **Fraud** or **Genuine**, all transactions from the case are automatically marked to match the case status of the parent.

If one or more transactions need to be marked differently from others in a case, you can change their status manually after the case is closed.

# 7.2 Managing Cases

This section explains how to view and manage the investigation cases you have access to. Using the options available, you can assign a case to a different user, edit the details of a case, or postpone, reopen, close or delete a case. You can also display all the events or transactions related to a case, the audit log, and comments.

To display investigation cases:

- 1. On the main menu's navigation pane, go to CRM > Investigation cases.
- 2. Select a case record. The **Main details** page appears where you can edit the investigation case using the options displayed in the top-right corner:

PM Petru Maxian (Petru)	K Main details	3431	< 3431 🗲 🧰 🖑 🗙 🥓 躍
ණු CRM ^	MAIN DETAILS		
<ul> <li>Investigation cases</li> <li>Events </li> </ul>	Institution ID * GPS (GPS)	Status — New	
Operator marked events	Reporter * Petru	Assignee≛ ⊸ Petru	-
System marked events Suspicious events v	Created 23.10.2022 16:25:36	Deadline *	
🔘 Data Management 🗸	Description Negative balance on token		
🔅 Configuration 🗸	Negative balance on token		

### Figure 21: Options available for managing cases. See the following table:

#### These options are:

Icon	Command	Description
Ê	Assign	Assign the case to a different user or update the case deadline.
-	Postpone	Postpone investigation of the case.
¢	Reopen	Open a previously closed case.
×	Close	Close a case once a resolution has been reached.
/	Edit	Update case details.
斑	Edit layout	Change the layout of case details on-screen.
Tip: Hove	r your mouse over an ic	con to view its name.

Use the following additional options at the bottom of the **Main details** page to display events or transactions related to a case, the audit log, and comments:

MAIN DETAILS       Institution 10*     Status       GPS (GPS)     New       Reporter**     Asignee*       Potru     Potru       Created     Description       23.10.2022 16.25.36     30.10.2022 16.25.00	
GPS (GPS)     New       Reporter*     Assignee*       Petru     Petru       Created     Deadline*       23.10.2022 16:25:36     0:10.2022 16:25:00	
GPS (GPS)     New       Reporter*     Asignee*       Petru     Petru       Created     Deadline*       23.10.2022 16:25:36     Diadline*       Description     Verture	
Reporter* Asignee* Petru	
Petru     Petru       created     Deadline*       23.10.2022 16:25:36     0.10.2022 16:25:00	
Petru     Petru       created     Deadline*       23.10.2022 16:25:36     0.10.2022 16:25:00	
Created         Deadline*           23.10.2022 16:25:36         30.10.2022 16:25:00           Description         East Control of the second seco	
23.10.2022 16:25:36   Description	
23.10.2022 16:25:36   Description	
Description	
MAIN DETAILS RELATED EVENTS CASE HISTORY TASKS	

### Figure 22: Additional options available for managing cases. See the following table:

lcon	Command	Description
Ē	RELATED EVENTS	Display all the events/transactions that are part of the investigation case.
G	CASE HISTORY	Display the case history audit log.
F	RELATED COMMENTS AND TASKS	Display all the comments added during the case investigation process.

# 8 Using the Rule Manager

This topic describes the use of rules to guard against fraudulent activity.

All data from the GPS Apex platform is checked against a set of predefined rules and logic designed to identify patterns of fraudulent card activity. Any suspicious transactions or events trigger an immediate alert along with an action, such as the blocking of a card. The rules are the conditions (described as logical expressions) through which transaction verification happens. Rules are tailored to your particular institution.

# 8.1 Viewing Rules

To see a list of current rules:

1. On the main menu's navigation pane, go to **Rule manager > Rule manager**.



#### Figure 23: Rule Manager

2. Click on a rule to display more information about it in the right-hand pane:

Rule manager	Guidance Rules (Do not Modify) / GPS-PR-A01 Usage in High Risk Country	<b>/</b> 0
Q         Search         ▲ ♥ ♥ ♥ ♥	Active time  Always active Active from   Disabled	
Guidance Rules (Do not Modify)      GPS-PR-A01 Usage in High Risk Country	Filter	
GPS-PR-A02 Usage in Moderate risk countries GPS-PR-A03 Usage outside SEPA region GPS-PR-A04 Gaming in Restricted Country		:

E	GPS-PR-A05 Multiple Countries (Card present)		Millo (Message Type)	~	in set		GPS-DS TXN Auth Message Types	·····	8	
E	GPS-PR-A06 Usage in prohibited country	AND IF	ACCCOUNTRY (Acceptor Country)	R	in set	÷	GPS-DS Countries High Risk	<b>.</b>	R	
E	GPS-PR-B01 High risk Business									
E	GPS-PR-B02 Low Value TXN at High Risk MCC	AND IF	FLD_006 (Billing Amount)	R	greater or equals	-	100	a	<b>x</b>	
E	GPS-PR-B03 Purchases high risk MCC									
E	GPS-PR-B04 Service Stations/AFDs	ADD CONI	DITION							
E	GPS-PR-B05 Bad Merchants	ADD CONDI	TION GROUP							
E	GPS-PR-B06 Moderate Risk Merchants									

Figure 24: Displaying rule details

# 8.2 Understanding Rule Conditions and Groups

A rule condition (also called a filter) is a logical expression used by GPS Protect to determine whether transactions meet the eligibility criteria for triggering an action such as an alert or blocking a card.

You define a rule condition by specifying the left and right part of the expression and a chosen operator in the middle. Typically, the left part of the expression specifies transactional attributes such as Acceptor Country, MCC (Merchant Category Code), etc. The right part usually contains values such as constants or lists of values (known as datasets – see Using Datasets).

The rule condition is evaluated using the chosen operator in the middle of the expression. Depending on what operator is selected, GPS Protect checks whether the selected attribute on the left of the expression (e.g. Acceptor Country of incoming transactions) *"equals*", "*not equals*", is "*in set*" (is part of a list/a dataset), is "*not in set*" (is not part of a certain list/dataset), etc. as per the right side of the condition.

### Example rule condition

To define a condition that filters transactions over 100 in value, specify:

- on the left-hand side, the attribute Billing Amount
- on the right-hand side, the value '100'
- in the middle, the operator "greater than"
  - If Billing amount greater than 100

This ensures that only incoming transactions over the value of 100 satisfy the condition.

For information about configuring the action that will result when the conditions of the rule are met, see About Rule Actions.

### About condition groups

A rule can have one or more conditions. When using multiple conditions, you can form one or multiple *groups of conditions*. For a rule to trigger an action, all the logical expressions/conditions must be satisfied. For example, if a rule has three conditions but only two are satisfied when evaluating an incoming transaction, the rule will not trigger an action.

You can group the conditions associated with rules using AND and OR operators.

You can choose from two options at the top of the Filter pane:

AND conditions, OR groups – between groups of conditions the logical operator OR is applied, but the AND operator is
applied between conditions within each conditions group

ter							
		AND condition	<mark>ons, OR groups</mark> 🔘 OR	condition	is, AND groups		
IF	"Condition 1"	æ	greater or equals	Ŧ	100	ସ୍	
ND IF	"Condition 2"	ą	equals	-	ABC	ą	
DD CONI	DITION						
			OR				
							×
IF	Condition 3	Q	less or equals	*	60	R	
ND IF	Condition 4	a	equals	<b>.</b>	BCA	a	

ADD CONDITION GROUP	

Figure 25: Example showing AND conditions, OR groups

• OR conditions, AND groups – between groups of conditions the logical operator AND is applied, but the OR operator is applied between conditions within each condition group

IF	"Condition 1"	ą	greater or equals	•	100	a	ī
			greater or equals				
OR IF	"Condition 2"	ą	equals	*	ABC	a	Ī
ADD CON	DITION						
			AND				
						i	×
IF	Condition 3	ą	less or equals	-	60	ą	ī
						ą	

Figure 26: Example showing OR conditions, AND groups

There are no system limitations to the number of groups you can have within a rule. However, GPS recommends you check the performance of each rule regularly.

# 8.3 Configuring Rules

This section explains how to add a new group of conditions, delete a group and/or conditions, and edit rule conditions.

Note: Only managers with the appropriate access rights can modify rules, groups and conditions. See User Access Management for further information.

### Adding a new group of conditions

To add a new group of conditions:

- 1. Click Add Condition Group. The new condition group is displayed.
- 2. To add a condition within the group, click Add Condition. By default, a new empty condition is displayed.

### Deleting a group and/or condition

To delete a new group of conditions:

1. Click Delete in the right of the Filter pane associated with the appropriate group or condition.

### Updating a rule

Changes to existing conditions of rules can be initiated only by managers with the appropriate access rights.

To edit a rule:





Note: Any changes made to rules appear as change requests on the GPS side. After the change request is captured on <u>GPS</u> <u>JIRA</u>, GPS checks to ensure the requirements of the change match the actual configuration change before publishing the modifications in the production environment.

# 8.4 About Rule Actions

A rule action is a trigger which is executed immediately after all the conditions of the rule are met. A rule can have a single rule action or multiple rule actions configured. All rule actions are executed in sequential order, as they appear in the **Action** pane. The order can be changed.

The most commonly used rule actions are:

• *Mark as suspicious:* This action marks the event as suspicious and displays it on the **Suspicious Transaction Log** screen. This is the default action configured for all rules.

Action		0
Action Mark as suspicious	×.	H
ADD ACTION		

#### Figure 27: Mark as suspicious rule action

Events marked as suspicious by the GPS Protect rules are displayed on the **System marked events/System marked Transactions** page in **green**, until the event is reviewed and the status is changed by a user. After a new status is assigned to an event/transaction by a user, the transaction is moved and displayed on the **Operator marked events** pages, depending on the status:

- Operator marked events > Genuine
- Operator marked events > Investigation
- Operator marked events > Fraud
- Operator marked events > Ignore

Transaction colour coding.

• Highlight: This action highlights an event on the user interface:

Action					0	
Action Highlight	Color	Role Everyone	<b>*</b>	Ē	j ::	
ADD ACTION						-

#### Figure 28: Highlight rule action

You can select the colour of the highlighter from a full RGB pallet. The following example shows the difference between a highlighted and a non-highlighted event (the difference between the highlighted action being triggered or not):

Event timestamp	Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amount	Billing Ccy Code	MCC
□ _	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	₹

BKR	100200300 17	0320231	0100 0	00 051	101	10	0.00 GB	P 100.	00 GBP	599	9
Institution Code	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code	Billing Amount	Billing Ccy Code	MCC
Ŧ	Ŧ	Ŧ	Ŧ	<u></u>	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ
CRV	54264600000610954	5 201283434	1100	0	20010165	000	500.00	BVR	500.00	BYN	5411
	Institution Code	Institution Code Token	Institution Code Token Txn ID $\overline{-}$ $\overline{-}$ $\overline{-}$	Institution Code Token Txn ID Message Type	Institution Code     Token     Txn ID     Message Type     Processing code       =     =     =     =     =     =	Institution Code     Token     Txn ID     Message Type     Processing code     POS Data Code       =     =     =     =     =     =     =     =	Institution Code     Token     Txn ID     Message Type     Processing code     POS Data Code     Response sts       =     =     =     =     =     =     =     =	Institution Code     Token     Txn ID     Message Type     Processing code     POS Data Code     Response sts     Txn Amount       =     =     =     =     =     =     =     =     =	Institution Code Token Txn ID Message Type Processing code POS Data Code Response sts Txn Amount Txn Ccy Code	Institution Code       Token       Txn ID       Message Type       Processing code       POS Data Code       Response sts       Txn Amount       Txn Ccy Code       Billing Amount         = <td>Institution Code       Token       Txn ID       Message Type       Processing code       POS Data Code       Response sts       Txn Amount       Txn Ccy Code       Billing Amount       Billing Ccy Code         =</td>	Institution Code       Token       Txn ID       Message Type       Processing code       POS Data Code       Response sts       Txn Amount       Txn Ccy Code       Billing Amount       Billing Ccy Code         =

#### Figure 29: Example of a highlighted event

*Notify (E-Mail):* This action sends an email notification to selected recipients. You can configure the subject of the email and the message text and include any text and/or event attributes as shown below:

Action				0
Action Notify (E-mail)	Recipients	C <sup>Subject</sup> getCurrentRule()	Message text Comparison - Comparison - Comp	₫ #

Figure 30: Configuring a notify action

Below is an example of an email alert received from GPS Protect when the Notify (E-Mail) action is triggered:



Token : 22222228 Txn Description HSBC London Amount: 1000.00GBP

#### Figure 31: Example of an email notification from GPS Protect

*Call web service:* This action blocks a card by changing its status to *05 (Do not honor)*, *63 (Security Violation)* or GPS specific G5-G8 card statuses. This prevents any further successful transactions on the card.

Action					0
Action Call web service	Web service ▼ GPS-API-01 Change Card Sta ▼	Field mapping GPS-API-01 (status 05)	Wait NO	v	₫ #
		GPS-API-01 (status 63)			
ADD ACTION		GPS-API-01 (status G5)			
		GPS-API-01 (status G6)			
		GPS-API-01 (status G7)			
		GPS-API-01 (status G8)			

#### Figure 32: Configuring a Call web service action

- Add to rule allowlist: This action adds an attribute to a rule's allowlist for a specific time period. In the example below, the
   *Attribute* Token will be allowed (in other words, excluded from the rule triggering) for a period of 60 seconds, as defined in the
   Expiration time (seconds) field.
- Add to dataset: This action adds an attribute to an existing dataset for a specific time period. In the example below, the Value
  of the attribute "Card Acceptor Terminal ID" will be added to any selected dataset for a period of 60 seconds, as defined in the
  Expiration time (seconds) field.

# 8.5 Creating an Allowlist for Specific Rules

For each rule, a list of exceptions can be defined for any transaction attributes. Transactions that contain the value defined in the exception list will be ignored by the rule. The allowlist is defined by the transaction attribute value and the **Expiration date and time** of the allowed attribute/record.

To add an attribute to a specific rule's allowlist:

1. Click on + Add new item on the Allowlist pane. The input form appears. The number of records that can be added to the rule allowlist is unlimited.

Optionally, to delete a record from the list, select it in the list and click **Delete items**.

2. After making your changes, click **Save**. The allowlist is saved together with the rule. When the selected expiration date and time is reached, the card (or any other selected attribute for allowlisting) is automatically removed from the allowlist.

\*While every endeavour will be employed to check the rule operates successfully, GPS cannot and does not take responsibility for any losses incurred as a result of incorrectly configured rules (rules configured with erroneous parameters) or rules not operating as expected.

#### Notes

- In some scenarios, a rule may be triggered although transactions are genuine
- To stop a rule from triggering, you can add a cardholder to the allowlist. The rule will then be ignored
- Only managers with the appropriate access rights can make changes to the rules and allowlists (see User Access Management for all available user access types)
- Over 50 different elements can be allowlisted. The most common ones are: Token, MCC, and Country
- You can only add or modify rules that belong to your institution
- You can make changes to rules under your institution. GPS will review\* the changes before publishing them in the Production environment
- If you're unsure how to build a rule for a specific scenario, use GPS <u>customer support portal</u> to raise a customer support request.

# 9 Using Datasets

This topic describes datasets and explains how to use them in GPS Protect rules. It describes how to create a new dataset or update the values in an existing dataset.

A dataset is a list/collection of data points or values that GPS Protect can use to check against the attributes of incoming events/transactions. A data set can be used multiple times in different rules. For example, consider the following scenario:

### Use case scenario: dataset of high-risk countries

You want to create a rule in GPS Protect that will check all transactions performed in countries deemed to be high-risk. As part of this, you create a dataset containing a list of ISO-2 values for these high-risk countries and use this dataset in the rule. The system will check the ISO-2 values in the dataset against the attribute *Acceptor Country* for incoming events/transactions.

Tip: For a list of ISO country codes, see: ISO - ISO 3166 - Country Codes.

# 9.1 Creating a Dataset

To create a new dataset:

1. Go to Data Management > Datasets and click on + Add new item on the bottom-left of the screen.

O Data Management 🔨	2356	GPS-DS Countries SEPA	GPS (GPS)	SEPA Country Codes
Black and white list	2359	GPS-DS-Card Not Present TXN	GPS (GPS)	POS data codes to identify card not present transactions.
management	2357	GPS-DS-Countries Restricted Gambling	GPS (GPS)	Gambling Restricted Countries Only
	2361	GPS-DS Prohibited Countries	GPS (GPS)	List of countries Prohibited
	2354	GPS-DS Countries High Risk	GPS (GPS)	High Risk Country List
	2358	GPS-DS-MCC Gambling	GPS (GPS)	Gambling MCC Only
	2130	GPS-DS MCC Service Stations/AFDs	GPS (GPS)	List of Service Station/AFD MCC
	1968	GPS-DS Prohibited Countries	GPS (GPS)	List of countries prohibited, PM is responsible to update the list
	2094	BKR-DS MCC Service Stations/AFDs	B Social (BKR)	List of Service Station/AFD MCC
	<mark>+</mark> ↑			Rows per page 10 - 21-30 of 30  < < 1 2 3 > >



- 2. In Dataset details, enter the Institution ID, Dataset name and Dataset description.
- 3. To complete the dataset creation process, click **Save** in the top-right corner of the screen.

# 9.2 Updating an Existing Dataset

This topic explains how to edit and delete values in an existing dataset, including how to import values into a dataset. To edit an existing dataset:

1. Go to **Data Management > Datasets** and select the dataset you want to edit. The existing values are displayed:

< Dataset values		GPS-DS High Risk Countries	
			: 🏛
Value	Created by	Creation time	Expiry time
FR FR	Petru	24/04/2022 23:29:19	0
С СВ	Petru	24/04/2022 23:29:07	0
+ 个			Rows per page 10 ▼ 1-2 of 2  < < 1 > >

*Figure 34: Editing an existing dataset* 

- 2. To add values to a dataset, click on + Add new item at the bottom of the pane (dataset values can also be imported by clicking on ^ Import):
- 3. Input the new Value (and, optionally, an Expiry time for the new value) and click Save in the top-right corner to complete the process:
- 4. To edit or delete values from a dataset, select the values and either right-click and choose an action or click on 🛱 Edit item



#### Notes:

- Note: You can add new Countries, MCCs, Tokens or other types of data codes so these can be used by the rules you have set up for your institution
- Note: Only managers with the appropriate access rights can make changes to datasets (see User Access Management for all available user access types)

# **10 Configuring Statistical Parameters**

This section explains how to display and configure the statistical parameters used by GPS Protect.

GPS Protect helps to analyse fraud patterns over time so that you can tailor rules as your programme and cardholder behaviour evolves. As part of this, GPS Protect collects statistical data about transactions for specific time periods, as defined by certain parameters. GPS Protect then uses the values calculated from this data in the logic building of rules.

Note: You can only add or modify statistics belonging to your institution so they can be used by the rules you have set-up. All user types can view statistical parameters but only managers with appropriate access rights can make changes to them (see User Access Management for a list of available user access types).

# **10.1 Displaying Statistical Parameters**

To view statistical parameters:

Navigate to **Configuration** > **Statistics manager**. All existing statistical parameters are displayed for the institution(s) you have access to.

# **10.2 Creating Statistical Parameters**

1. To create a new statistical parameter, click + Add new item on the bottom-left of the screen.

									:
	ID <del></del>	Name	Institution GPS (GPS) ▼	Function	Period name	Statistic attributes	Status	Force full statistics recalculation	•
	272	GPS-VS-004 Count TXN Deposit	GPS (GPS)	COUNT	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	291	GPS-VS-022 count Auths Declined CVV	GPS (GPS)	COUNT	Sliding window: 0 D 12 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	275	GPS-VS-006 Sum TXN Credit	GPS (GPS)	SUM	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	FLD_006	Enabled	Off	
	281	GPS-VS-012 Count Refund	GPS (GPS)	COUNT	Sliding window: 2 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	271	GPS-VS-003 Count TXN	GPS (GPS)	COUNT	Sliding window: 90 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	287	GPS-VS-018 Count Chargebacks	GPS (GPS)	COUNT	Sliding window: 30 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	276	GPS-VS-007 Sum TXN Deposit	GPS (GPS)	SUM	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	FLD_006	Enabled	Off	
	282	GPS-VS-013 Count CNP	GPS (GPS)	COUNT	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
	599	GPS-VS-024 Last Acceptor Country	GPS (GPS)	LAST	Sliding window: 0 D 7 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	ACCCOUNTRY	Enabled	Off	
	285	GPS-VS-016 COUNT ATM overseas	GPS (GPS)	COUNT	Sliding window: 1 D 12 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	
+						Rows per pag	e 10 <del>.</del>	1-10 of 12  < < 1 2	>

*Figure 35: Creating a new statistical parameter* 

2. Enter a Name for the parameter.

- 3. Choose the **Institution** the parameter should be bound to.
- 4. In **Function**, select the main function of the parameter:
  - SUM sum. For example, Billing Amount on a Card (total spent) for the last X days/weeks.
  - AVERAGE average value. For example, Billing Amount on a Card (average per transaction) for the last X days/months etc.
  - COUNT quantity of transactions on a Card (velocity) for the last X hour/days etc.
  - MIN minimal value. For example, Billing Amount on a Card (highest ticket) for the last X weeks/months etc.
  - MAX maximum value. For example, Billing Amount on a Card (highest ticket) for the last X days/months etc.

- LAST last value. For example, Acceptor Country where a transaction took place
- **DESCENDING** descending values.
- SAMEVAL identical value.
- **DISTINCT** distinct value.
- 5. Select the Statistic and Instance attributes.
- 6. Select the **Period** of time the parameter will use in its calculations.

admin	< Statistics			GPS-VS	Count of Trans	sactions on Card (	(last 24h)		
CRM 🗸									
Events 🗸	GENERAL FILT	TER RESET FILTER							
operator marked vents	Name GPS-VS Count of Transaction	ns on Card (last 24h)							
rstem marked v	Institution GPS (GPS)					ent class RANSACTION			
ispicious events 🗸 🗸	Function				Sta	tistic attributes			
ta Management 🗸	COUNT				▼ Tx	n ID (TLOGID)			
nfiguration ^	Token (FLD_002) S Click to	check attribute							
Statistics manager	Period								
		Days	11		Minutes	0			
		1	Hours		Minutes	Seconds	i	length	
	<ul> <li>Sliding window</li> </ul>	Days	Hours		Minutes	Seconds	;	offset	
	Fixed time frame	From		Till					
	O Schedule				Ű	Previous calendar perio	bd		
	Prev. period length	Prev. period offset O							

Figure 36: Configuring a statistical parameter

7. To complete parameter creation, click **Save** (top-right corner).

# **10.3 Updating Statistical Parameters**

This section explains how to edit and delete statistical parameters.

1. To edit a statistical parameter, select it and either right-click and choose the option or click Edit statistics item:

Statist	ics								
									i 🖸
•	ID =	Name	Institution	Function	Period name	Statistic attributes	Status	Force full statistics recalculation	Atom value
	599	GPS-VS-024 Last Acceptor Country	Delete items	LAST	Sliding window: 0 D 7 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	ACCCOUNTRY	Enabled	Off	0
	275		Edit statistics iter	m <sup>u</sup>	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	FLD_006	Enabled	Off	0
	291	GPS-VS-022 count Auths Declined (	View collected da		Sliding window: 0 D 12 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	0
	272	GPS-VS-004 Count TXN Deposit	/here used	JNT	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	0

Figure 37: Editing a statistical parameter

2. To **delete** a statistical parameter, select it and either right-click and choose the option or click **Delete items**:

Statisti	ics							
							e <mark>i</mark>	
	ID	Name	Institution Function	Period name	Statistic attributes	Status	Force full statistics recalculation	Atom value
	Ŧ	₹	- <u> </u>	*	Ŧ	·	¥	Ŧ
	599	GPS-VS-024 Last Acceptor Country		Sliding window: 0 D 7 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	ACCCOUNTRY	Enabled	Off	0
	275	GPS-VS-006 Sum TXN Credit	Edit statistics item	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	FLD_006	Enabled	Off	0
	291	GPS-VS-022 count Auths Declined (	View collected data	Sliding window: 0 D 12 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	0
	272	GPS-VS-004 Count TXN Deposit	Where used	Sliding window: 7 D 0 H 0 M 0 Sec Offset (0 D 0 H 0 M 0 Sec)	TLOGID	Enabled	Off	0

Figure 38: Deleting a statistical parameter
## **11 Generating Reports**

This section provides details about the reports available in GPS Protect and explains how to generate a report and view its results.

Note: Only managers with the appropriate access rights can view and generate reports (see User Access Management for more information).

Assigning a status to an alert.

### 11.1 Displaying Available Reports

To see a list of the reports available in GPS Protect:

1. On the main menu, go to **Reports > Reports list**.

The **E Reports** screen appears showing a list of available reports.

Figure 39: List of available reports

### 11.2 Running a Report

1. Click on a report to display information about its parameters and execution results. For example, the **Consolidated report of suspicious transactions**:

Reports Consolidated report of suspicious transactions							
Parameters	∧ × Results						×
Provide parameters necessary to run this report in fields below			The following execution results ar	e available for rendering			
Start of period						1	Ê
End of period		(	Time	Started by	Status		
Token		(	12/04/2022 15:39:22	user3	Success		
Institution (Default)		(	12/04/2022 15:34:49	user3	Success		
		(	12/04/2022 15:31:23	Tijo08M	Success		
Chain name	<b>*</b>	(	12/04/2022 13:11:38	Tijo08M	Success		
Rule name	•	(	12/04/2022 10:31:43	Tijo08M	Success		
Action Accept  Reject  +1	•	(	05/04/2022 15:36:23	Tijo07M	Success		
		(	05/04/2022 10:21:01	Tijo06M	Success		
EXECUTE REPORT		ſ	05/04/2022 09:46:28	Tijo06M	Success		



- 2. In **Parameters**, specify any required fields and filters, such as the reporting period (maximum 90 days between "Start of period" and "End of period"). Note that the report parameters change depending on the report you selected.
- 3. To execute the report, click on **Execute Report** on the bottom-left. The report runs and the results appear in the **Results** pane on the right-hand side.

Res	sults			^	×
The	e following execution re	esults are available for rendering			
					Î
	Time	Started by Status			
	12/04/2022 15:30:55	Tijo08M Succe	SS		
	12/04/2022 12:41:03	Tijo08M Succe	SS		
	04/04/2022 15:55:51	Tijo06M Succe	SS		
	04/04/2022 14:34:52	Tijo06M Succe	SS		
	04/04/2022 13:36:45	Tijo06M Succe	ss		
	04/04/2022 13:29:58	Tijo06M Succe	ss		
	01/04/2022 11:57:02	user Succe	ss		
	01/04/2022 11:55:28	user Succe	ss		
	30/03/2022 10:16:03	Tijo06M Succe	SS		
	30/03/2022 08:26:16	user Succe	ss		
٩	RENDER TO PDF	Rows per page 10	1 2 3	>	>

#### Figure 41: Report results

Note: Reports that contains a large amount of data may take a long time to generate.

#### Saving a Report

You can save the results of a report locally in either Adobe PDF or Microsoft Excel file format.

1. To save a report, select the report in the Results pane and click on Render to PDF or Render to EXCEL depending on the format you want.

The system saves the report to your local drive where you can open it.

### Scheduling a Report

Reports can be generated on a scheduled basis. For example, you might choose to schedule the Consolidated report of suspicious transactions to run on the first day of every month, and send an email notification to a group of recipients. To schedule a report:

- 1. In the Schedule pane, click on + Add new item.
- 2. In the General tab, specify the report execution frequency. Choose from Once, Daily, Weekly or Monthly.
- 3. To receive an email notification about successfully completed scheduled report generations, select Send notification on job completion, and provide one or more email addresses. To specify that the report should be sent as an attachment, select Attach rendered report to notification e-mail as, and specify either PDF or XLS format.

Note: there is a 25Mb file size limit, in line with many email systems.

GENERAL			
Provide parameters necessary to run this report in fields below			
Start of period			
day	month		year
01		·	2022 🔻
End of period			
day	month		year
31		*	2022 *
Token			
Institution			
GPS (GPS)			*
Chain name			Ŧ
Rule name			Ŧ
Action			
Accept 🛞 Reject 🛞 +1 ClickToCheck			*
Once Daily Weekly Monthly			
Send notification on job completion			
Recipients			
example@mydomain.com		ADD RECIPIENT	
		-	
Attach rendered report to notification e-mail as			
PDF      XLS			

#### Figure 42: Send a notification

<u>GPS.Protect@globalprocessing.com</u> to the registered email address(es). Ensure you add this email address to your email system's 'allowed list' so that notifications do not end up in your Spam folder.

## **12 User Access Management**

This topic describes user access to GPS Protect and how to raise a request for access or to change permissions.

Different levels of user access can be configured on the GPS Protect portal, depending on role. For example, some users may only be able to view information about transactions and rules while others can view transactions, edit rules and run reports. In GPS Protect, there are three *Default User Access Types* based on role:

- Manager
- Analyst
- View Only

The following table shows the Default User Access Types with additional access permissions highlighted in green:

View Only		Risk Analyst		Manager
Report Manager		Report Manager		Report Manager
-		-	+	Report Manager
-		-	+	Report Scheduler
Transactions		Transactions		Transactions
View all Transactions		View all Transactions		View all Transactions
View all Suspicious Transactions		View all Suspicious Transactions		View all Suspicious Transactions
View all Operator marked events		View all Operator marked events		View all Operator marked events
View all System marked events		View all System marked events		View all System marked events
Export data to CSV		Export data to CSV		Export data to CSV
-	+	Review/Mark Transactions		Review/Mark Transaction
File management		File management		File management
Access to all files		Access to all files		Access to all files
Denylist and allowlist management		Denylist and allowlist management		Denylist and allowlist management
-	+	View all records		View all records
			+	Add/delete/edit records
Rules		Rules		Rules
View rules		View rules		View rules
-		-	+	Edit Rules
-		-	+	Edit Datasets
-		-	+	Edit Statitical Parameters
Cases		Cases		Cases
-	+	Open/Manage Cases		Open/Manage Cases

#### **GPS Protect Default User Access Types**

Figure 43: GPS Protect Default User Access Types

### 12.1 Requesting Changes to User Access

GPS Protect user management is carried out by GPS. To create a new user or request a change to permissions, the person responsible for user access permissions in your organisation needs to use the GPS <u>customer support portal</u> to raise a customer support request.

For a user creation request, the person responsible for user access permissions in your organisation needs to provide the following information to GPS:

- First name
- Surname

#### • Email address

• Required Access Type: Manager / Risk Analyst / View only

Note: An institution can have a maximum of two Managers and an unlimited number of Analysts and View Only access type accounts.

## Appendix A – Common Codes

This section describes codes commonly used in the GPS Protect system.

Tip: For a full list of all codes, see the Smart Client Guide.

### Message type (MTID)

- 0100 = Authorisation
- 1240 = Presentment

### Processing code (Txn code)

Status	Description	
00	Debits (goods and services)	
01	Debits (for ATM withdrawals or for cash disbursements)	
02	Adjustment credits	
09	Debits (goods with cash back)	
11	Visa quasi-cash (POS) transactions	
12	Cash disbursement	
16	Payment Out	
17	Debits (for cash advance)	
18	Unique Transaction (requiers unique MCC)	
19	Adjustment debits (goods and services with cash back)	
20	Credits for refund	
21	Credits (for deposit	
22	Credits - Card load	
23	Credits - Card unload	
28	Credits (for Payment Transaction)	
59	Blocked Amount Posting	
90	PIN Unblock Transactions	
30	Balance Enquiry	
92	PIN Change Transactions	



Status	Description
00	All good (Transaction was accepted)
01	Txn declined
03	Invalid merchant
04	Capture card

Status	Description
05	Do not honour
06	Unspecified Error
08	Honour with identification
10	Partial Approval
12	Invalid transaction
13	Invalid amount
14	Invalid card number (no such number)
15	Unable to route at IEM
17	Customer Cancellation
30	Format error
32	Completed Partially
33	Restricted card
37	Card acceptor call acquirer security
38	Allowable PIN tries exceeded
41	Lost card (Capture)
43	Stolen card (Capture)
51	Insufficient funds
54	Expired card
55	Incorrect PIN
57	Transaction not permitted to cardholder
61	Exceeds withdrawal amount limit
62	Restricted card
63	Security violation
64	Original amount incorrect
65	Exceeds withdrawal frequency limit
66	Card acceptor call acquirer's
67	Card to be picked up at ATM
68	Response to contact issuer
71	PIN not changed
75	Allowable number of PIN tries exceeded
76	Wrong PIN, allowable number of PIN tried exceeded
77	Issuer does not participate in the service
78	Unacceptable PIN- Transaction declined
80	Network error
81	Foreign network failure
82	Timeout at IEM
83	Card destroyed
85	Pin Unblock request

Status	Description
85	PIN validation not possible
87	Purchase Amount Only. No Cash Back Amount
88	Cryptographic failure
89	Authentication failure
91	Issuer or switch is inoperative
92	Unable to route at AEM
94	Duplicate Transmission
95	Reconcile error
96	System malfunction
98	Refund given to Customer
99	Card Voided
N7	Incorrect CVV (VISA Only)
P5	PIN Change/Unblock request declined
P6	Unsafe PIN

## POS (Point of Sale) data code starting with

Status	Description
00	Unknown
01	Manual entry
02	Magstripe
03	Barcode reader
04	Optical Character Reader (OCR)
05	Chip Transaction
06	Chip PayPass Mapping Service application
07	Contactless
80	Magstripe
81	Ecommerce
90	Magstripe
91	Contactless magnetic stripe
92	Contactless input

These can have subfields:

- 0 = Unspecified or unknown
- 1 = Terminal has PIN entry capability
- 2 = Terminal does not have PIN entry capability
- 8 = Terminal has PIN entry capability but PIN pad is not currently operative

### Example:

- 050(0) = PAN auto-entry via integrated circuit card (ICC)- Unspecified or unknown
- 051(0) = PAN auto-entry via integrated circuit card (ICC) Terminal has PIN entry capability
- 052(0) = PAN auto-entry via integrated circuit card (ICC)-Terminal does not have PIN entry capability

### Card status code

Status	Description
05	Do not honour
14	Invalid Card Number
41	Lost card
43	Stolen card
54	Expired card
62	Restricted card
63	Security Violation
70	Cardholder to contact issuer
83	Card Destroyed
99	Card Voided

## **FAQs and Troubleshooting**

This section provides answers to frequently asked questions and common troubleshooting issues.

### Setup

#### Cannot log into GPS Protect

- Check your credentials are correct. Both the username and password are case sensitive.
- If you forget your username or password, contact GPS by raising a GPS JIRA to request your username or a password reset.

**Note:** After 3 failed login attempts, your account will be locked for 15 minutes after which you can try again. If you are unable to log in, contact GPS to unlock your account and send you a password reminder.

#### How do I reset my password?

Changing or resetting a password.

GPS JIRA or via email by sending a password reset request to FraudTeam@globalprocessing.com

### Monitoring

#### How do I filter data on transactional pages?

On any transactional page/sub-page (Events, Operator marked events, System marked events or Suspicious events):



1. Click on  $\blacksquare$  Filter builder in the top-right of the page:



The filter area appears. The following filter appears with the default filter *Event timestamp* attribute (this filter is always present and cannot be removed).

### 2. Click + Add new item to add an additional filter if needed.

		0		0			:	⊎	Î	=
Attribute Event timestamp	•	Operator After	D conditions, OR groups	OR conditions, AND groups Value 25.10.2022 02:10	<b>D</b>	+	Î			
+									a Appi	LY

#### The default options appear.

3. From the dropdown, select the filtering "Attribute" (for example, Token), choose an operator (for example, Equals), provide the

actual value of the attribute (for example, the token number) and click on APPLY to filter the data.

nsactions								
							: d	
			D conditions, OR groups	<ul> <li>OR conditions, AND groups</li> </ul>				
Attribute		Operator		Value	Ŕ	+	Ō	
Event timestamp	<b>~</b>	After	*	25.10.2022 02:10				
			AN	ID				
Attribute		Operator			Ī	+	×	
	× *	Equal	*	Value	-		-	
Token								
Txn ID								
Message Type								
Processing code								

#### How can I quickly filter transactional data?

1. On any transactional page, at the top of each column, type or copy/paste the values you want to filter on. For example, to filter

ransa	actions		
	Event timestamp	Institution Code	Token 
	25/04/2022 13:28:43	SMD	123123123
	25/04/2022 13:27:29	SMD	123123123
	25/04/2022 13:26:31	SMD	123123123

and display only transactions for a particular token, input its value to the right of -:

2. Multiple quick filter options can be used simultaneously by inputting values to the right of  $\overline{-}$  in the columns that display a continuous line (for example, Token = 340885150 AND Message Type = 0100):

Event timestamp	GPS	de •	Token	Txn ID	Message Type	Processing code	POS Data Code	Response sts	Txn Amount	Txn Ccy Code
29.07.2021 12:27:17	GPS		340885150		0100		072	2	200.00	EUR
							Rows per page	5 👻 1-1 of 1	I< < 1	> >1

1. To export a *selection of transactions*, select your transactions then right-click and select **Export selected rows** or click **Export selected rows** in the top-right corner:



A window appears in which you can select the Export format such as XLSX or CSV.

2. Click **SUBMIT** to save the file on your local computer.

Export	
Attribute name <ul> <li>Technical name</li> <li>Display name</li> </ul>	
Export format	
CSV	
	CANCEL SUBMIT

3. To export all transactions on a page (no specific transactions are selected), click **±** Export in the top-right corner:



A window appears in which you can select the Export format such XLSX or CSV.

4. Click **SUBMIT** to save the file on your local computer.





#### How do I mark transactions after investigating them?

There are two methods which are described below.

**Note:** With both methods, multiple transactions can be selected simultaneously so that you can bulk mark multiple transactions with the same status.

#### Method 1

After finalising the investigation, select the checkbox next to the transaction, then right-click and assign a status:

۵	Event timestamp	Institution Code	Token Mark as Ge	Месся
	22/04/2022 08:37:08	SMD	Mark as Fra	

#### Method 2

After finalising the investigation, select the checkbox next to the transaction, then click Mark as and select the option to assign a status:



#### How do I customise the displayed data on transactional pages?

1. To display specific columns on-screen, hide columns or reorder columns so they better reflect how you use the data, on any



transactional page/sub-page (*Events*, *Operator marked events*, *System marked events* or *Suspicious events*) click **Column customization** on the top right:

2. After the list of displayed columns appears, select or deselect a column to add or remove it from the screen. To reorder columns, drag and drop them up and down:



How do I save and use frequently-used filters on transactional pages?

1. Make sure all frequently used filters/conditions are configured and contain the desired values.

In the example below, two filters/conditions are defined:

		O AN	ID conditions, OR groups	OR conditions, AND groups			
Attribute		Operator		Value	Ī	+ 🖻	
Message Type	*	Like	Ŧ	0100	-		
			A	ND			
Attribute		Operator		Value	ā	+ ā	
Token	*	Like	Ψ.	123456789			
+							APPLY
-							

2. To save these for later use, click **Custom filter** in the top-right corner:



3. A pop-up appears. Click 🛨 Save.



To use a saved filter, on the transactional page click **Custom filter** in the top-right corner, and select your filter:



All the conditions/groups will be automatically populated and can be used to filter the data on the selected page.

### Investigating

#### How do I open an investigation case?

You can use several methods to create an investigation case:

#### Method 1

On any transactional page/sub-page (Events, Operator marked events, System marked events or Suspicious events) select the trans-

action(s) that should be part of the case, then right-click and select **Open investigation case** from the context menu:

Susp	picious events Tra	ansactions	
•	Event timestamp	Institution Code	Token Txn ID
		SMD SMD	<ul> <li>Mark as Genuine</li> <li>Mark as Investigation</li> </ul>
	<ul> <li>25/04/2022 13:26:31</li> <li>22/04/2022 08:37:08</li> </ul>	SMD	Mark as Fraud Mark as Ignore
	<b>1</b> 9/04/2022 12:47:22		<ul> <li>Open investigation case</li> <li>Attach events to investigation case</li> </ul>

#### Method 2

After selecting transactions, click **Open investigation case** in the top-right corner:



Method 3

Navigate to **CRM > Investigation cases** and click **+** Add new item to create a new case.



Transactions can be added later to an existing case, as described in the following topic.

#### How do I add transactions to an existing case?

You can use two methods to add transactions to an existing investigation case.

#### Method 1

1. Select the transaction(s) you want to add to an existing case, then right-click and select Attach events to investigation case from the context menu:

S	uspic	cious events Tra	ansac	tions		
		Event timestamp	Institut	ion Code	Token	Txn ID
					ark as Genuine ark as Investigat	ion
		25/04/2022 13:28:43	SMD		ark as Fraud	1011
		25/04/2022 13:27:29	SMD	Ma	ark as Ignore	
		25/04/2022 13:26:31	SMD		pen investigation	
		22/04/2022 08:37:08	SMD		port selected ro	westigation case ws

#### Method 2

1. After selecting transactions, click Attach events to investigation case in the top-right corner:



Regardless of the method used, you will be prompted to provide the *Investigation case ID* for the case the transactions are to be added to. Click **SUBMIT** to commit the addition:

Attach events	
Please, enter investigation case ID	
Investigation case ID 1234	×
	CANCEL SUBMIT

#### How do I find specific investigation cases?

1. On the **CRM > Investigation case** page, at the top of each column, type or copy/paste the values you want to find.

For example, if you know the Case ID you are looking for, input its value to the right of -:



Multiple quick filter options can be used simultaneously by inputting the appropriate values to the right of  $\overline{\phantom{a}}$  in the corresponding columns.

For example, if you do not know the Case ID number but you remember you opened the case (you were the reporter) and you mentioned in the description that further investigation is required (for example, *Case ID* = 3355 AND *Description* = %investigation required%):

Reporter	Assignee	Status		Created	Deadline	Description
Ξ <mark>Tijo</mark>	Ŧ		*	Ŧ	Ŧ	= investigation required
Тіјо	Tijo.Andrews	Closed		08/11/2021 10:36:02	03/03/2022 16:06:00	Suspecious TXNs , investigation required, email sent to CH

#### How do I export cases?

Using the CRM > Investigation case page, you can export all cases (the default) or select particular cases to export.
 For example, to export only closed cases, you can apply a filter or a quick filter Status = closed.

ID	Institution Code	Reporter	Assignee	Status	Created	Deadline	Description
Ŧ		Ŧ	Ŧ	closed 🗸 👻	Ŧ	Ŧ	Ŧ
3407	System Monitor Daemon (SMD)	user	user3	Closed	13/05/2022 10:59:35	14/05/2022 10:59:00	ZZZZZZZ
3406	System Monitor Daemon (SMD)	user3	user3	Closed	13/05/2022 10:31:50	15/05/2022 10:31:00	AASXZ

2. After the cases that meet your requirements appear, click **Export** in the top-right corner:



3. A pop-up appears. Select the Export format (XLSX or CSV) and click SUBMIT:

Export		
Export format XLSX		
CSV		
	CANCEL	SOBMIT

The selected file format containing all the cases is exported and saved to your workstation/local drive.

### Reporting

2.

How do I generate reports?

1. Navigate to **Reports > Reports list** (note that only users with *Manager* access can generate reports):

Reports A
Reports list
Select a report from the list:
Name
<u>₹</u>
Consolidated report of suspicious transactions
Fraud amount percentage by rules
Fraud count percentage by rules
Fraud detection efficiency by rule
Fraud per Country
Fraud per MCC
Fraud per MCC and Country
Fraud per Token
Operator's statistics

3. Input all the requested parameters (Start of period, End of period, Institution etc.) and click EXECUTE REPORT:

Parameters	^	×
Provide parameters necessary to run this report in fields below		
Start of period		
End of period		
Institution		-
► EXECUTE REPORT		

After the report is generated, you can view it on the **Results** pane.

Tip: If the report takes time to generate, try refreshing your browser page.

Resul	ts			^	×
The fo	llowing execution results are a	vailable for rendering			
	0	0			
				:	Ê
				•	
	Time	Started by	Status		
		Started by	Status		

22/04/2022 11:17:14	Tijo09M	Success
22/04/2022 11:16:03	Tijo09M	Success

4. Choose the generated report by selecting the checkbox next to it and, depending on the exported format, click either **RENDER TO PDF** or **RENDER TO EXCEL**:

Res	sults		^ ×
	29/03/2022 08:24:32	user	Success
	29/03/2022 08:23:07	user	Success
	29/03/2022 07:27:06	user	Success
	29/03/2022 06:14:37	user	Success
	21/03/2022 10:37:50	user	Success
	18/03/2022 13:01:27	admin	Success
	18/03/2022 12:34:03	admin	Success
$\checkmark$	18/03/2022 12:28:20	admin	Success
		Rows per page 10 ▾ 1-10 of 20	
P	RENDER TO PDF	RENDER TO EXEL	

The selected file format containing the report is exported and saved to your workstation/local drive.

#### How do I generate reports on a scheduled basis?

Reports can be generated automatically by the system with a predefined frequency.

- 1. Navigate to **Reports > Reports list** (note that only users with *Manager* access can generate reports) and click on a report.
- 2. On the Schedule pane, click + Add new item:

Schedule						^	×
Scheduling of report	generation					* *	Ê
Render type	Job type		Owner		Com	ments	
Add new item	Rows per page	10 👻	0-0 of 0	<	<	>	>

3. In the window that appears, input the requested information:

GENERAL		
Once O Daily O Weekly O Monthly		
Send notification on job completion Recipients		
ビ email@yourdomain.com	Ŧ	ADD RECIPIENT



- Choose the frequency: Once, Daily, Weekly, or Monthly
- Send notification on job completion (if selected, an email confirmation is sent to the provided recipient(s) to notify them the report has been generated as scheduled)

- **Recipients**: input the email address(es) of the recipient(s)
- Attach rendered report to notification e-mail as (if selected, the report is attached to the email sent to the recipient(s))
- 4. Click **APPLY** to save the scheduled report generation job.

## **Contact Us**

Please contact us if you have queries relating to this document. Our contact details are provided below.

Global Processing Services Ltd. Support Email: ops24@globalprocessing.com Support Phone: +442037409682

### **GPS Offices**

UK Central Office	Singapore	Australia	Dubai, UAE
6th Floor, Victoria House Bloomsbury Square	Republic Plaza 9 Raffles Place	Stone & Chalk Level 4, 11 York Street	EO 10, Ground Floor, Building 1
London	Singapore	Wynyard Green	Dubai Internet City
WC1B 4DA	048619	Sydney, NSW, 2000	Dubai, United Arab Emirates

#### **Technical Publications**

If you want to contact our technical publications team directly, for queries or feedback related to this guide, you can email us at:

docs@globalprocessing.com.

## Glossary

This page provides a list of glossary terms used in this guide.



#### Acquirer

The merchant acquirer or bank that offers the merchant a trading account, to enable the merchant to take payments in store or online from cardholders.

#### **Authorisation**

Stage where a merchant requests approval for a card payment by sending a request to the card issuer to check that the card is valid, and that the requested authorisation amount is available on the card. At this stage the funds are not deducted from the card.



#### **Card Scheme**

Card network, such as MasterCard or Visa, responsible for managing transactions over the network and for arbitration of any disputes.



#### Filter

See Rule condition



#### **GPS** Apex platform

A comprehensive, robust and reliable solution for card payment processing which is integrated within the global payment network.

#### **GPS Protect**

A bespoke fraud protection programme designed to guard financial institutions and cardholders from fraudulent activity.



#### lssuer

The card issuer, typically a financial organisation authorised to issue cards. The issuer has a direct relationship with the relevant card scheme.



#### MCC

Merchant Category Code

#### Merchant

The shop or store providing a product or service that the cardholder is purchasing. A merchant must have a merchant account, provided by their acquirer, in order to trade. Physical stores use a terminal or card reader to request authorisation for transactions. Online sites provide an online shopping basket and use a payment service provider to process their payments.



#### **Program Manager**

A GPS customer who manages a card program. The program manager can create branded cards, load funds and provide other card or banking services to their end customers.

#### Rule

Conditions (described as logical expressions) through which transaction verification happens. Rules are tailored to your institution.

#### **Rule condition**

A rule condition (also called a filter) is a logical expression used by GPS Protect to determine whether transactions meet the eligibility criteria for triggering an action such as an alert.



#### sFTP

Secure File Transfer Protocol. File Transfer Protocol FTP) is a popular unencrypted method of transferring files between two remote systems. SFTP (SSH File Transfer Protocol, or Secure File Transfer Protocol) is a separate protocol packaged with SSH that works in a similar way but over a secure connection.

#### **Smart Client**

Smart Client is GPS's user interface for managing your account on the GPS Apex system. It is also called Smart Processor GPS. Smart Client is installed as a desktop application and requires a VPN connection to GPS systems in order to be able to access your account.

#### **SSL** Certification

An SSL certificate displays important information for verifying the owner of a website and encrypting web traffic with SSL/TLS, including the public key, the issuer of the certificate, and the associated subdomains.

#### Stand In Processing (STIP)

The card network (Visa and Mastercard) may perform approve or decline a transaction authorisation request on behalf of the card issuer. Depending on your GPS mode, GPS may also provide STIP on your behalf, where your systems are unavailable.

### 1

#### Token

Tokenisation is a security technology which replaces the sensitive 16-digit permanent account number (PAN) that is typically embossed on a physical card with a unique payment token (a digital PAN or DPAN) that can be used in payments and prevents the need to expose or store actual card details.



#### Widgets

UI components that appear on screen showing tables, statistical graphs, cases, events etc. You can tailor your dashboard by choosing the widgets you want to display.

# **Document History**

This section provides details of what has changed since the previous document release.

Version	Date	Description	Revised by
2.1	01/11/2022 11/11/2022	New guide layout and HTML version now available. Updates to screenshots for latest release, Updates to table layouts in Appendix A.	PC, PM, AL & WS
2.0	30/05/2022	Major upgrade to v6.0.8 for a new Web interface	PM & AL
1.6	15/06/2021	Sub-chapter on Rule Actions added. Other minor updates throughout the text	РМ
1.5	11/05/2020	Major upgrade to v5.1.7 with a redesigned interface	РМ
1.4	04/04/2019	Updates to the server IP address and other minor updates/revisions	РМ
1.3	01/02/2019	Wording changes	РМ
1.2	27/09/2018	Re-wording, additional diagrams and explanation of terms	РМ